



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CONNECTICUT—*Westport*.—Month of February, 1897. Estimated population, 4,000. Total deaths, 4. No deaths from contagious diseases.

FLORIDA—*Pensacola*.—Month of February, 1897. Estimated population, 15,000. Total deaths, 17, including phthisis pulmonalis, 3.

GEORGIA—*Columbus*.—Month of February, 1897. Estimated population—white, 10,276; colored, 9,027; total, 19,303. Total deaths—white, 4; colored, 11; total, 15, including 1 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended February 20, 1897. Estimated population, 41,500. Total deaths, 74, including phthisis pulmonalis, 5; scarlet fever, 1; diphtheria, 4, and croup, 1.

MARYLAND—*Cumberland*.—Month of February, 1897. Estimated population, 16,000. Total deaths, 8, including 2 from phthisis pulmonalis.

MASSACHUSETTS—*North Attleboro*.—Month of January, 1897. Estimated population, 6,727. Total deaths, 7, including 2 from phthisis pulmonalis.

Month of February, 1897. Total deaths, 7, including 1 from phthisis pulmonalis.

MICHIGAN.—Week ended February 27, 1897. Reports to the State board of health, Lansing, from 61 observers, indicate that erysipelas, remittent fever, and intermittent fever increased in area of prevalence. Phthisis pulmonalis was reported present during the week at 176 places, measles at 63, diphtheria at 34, scarlet fever at 28, enteric fever at 21, and whooping cough at 14 places.

OHIO—*Toledo*.—Month of February, 1897. Estimated population, 137,780. Total deaths, 118, including phthisis pulmonalis, 10; enteric fever, 1; scarlet fever, 1; diphtheria, 1; croup, 3, and whooping cough, 1.

PENNSYLVANIA—*Pottsville*.—Two weeks ended February 25, 1897. Estimated population, 14,000. Total deaths, 15, including phthisis pulmonalis, 1, and diphtheria, 3.

TENNESSEE—*Chattanooga*.—Month of February, 1897. Estimated population—white, 27,000; colored, 13,000; total, 40,000. Deaths—white, 15; colored, 18; total, 33, including phthisis pulmonalis, 3, and enteric fever, 1.

Knoxville.—Month of February, 1897. Estimated population—white, 35,000; colored, 10,000; total, 45,000. Deaths—white, 28; colored, 19; total, 47, including phthisis pulmonalis, 11, and measles, 3.

WISCONSIN—*Milwaukee*.—Month of January, 1897. Estimated population, 275,000. Total deaths, 368, including phthisis pulmonalis, 25; enteric fever, 6; diphtheria, 18; measles, 15; croup, 6, and whooping cough, 1.